

PRESSEBAKKER TIL K 17 PRESSETANG



Bakker til presning af
kobber rørkabelsko og
-samlemuffer
(standardudgave)



Sekskantpresning, pressebredde 5 mm						
mm ²	6	10	16	25	35	
Best.nr.	HR 3/6	HR 3/10	HR 3/16	HR 3/25	HR 3/35	
EAN-nr.	40 12078 034593	40 12078 034609	40 12078 034616	40 12078 034623	40 12078 034630	
mm ²	50	70	95			
Best.nr.	HR 3/50	HR 3/70	HR 3/95			
EAN-nr.	40 12078 034647	40 12078 034654	40 12078 034661			

Bakker til presning af
aluminium presse-
kabelsko og -muffer



Sekskantpresning, pressebredde 7 mm						
mm ²	10	16-25	35	50	70	
Kendetal	10	12	14	16	18	
Best.nr.	HA 3/10	HA 3/16-25	HA 3/35	HA 3/50	HA 3/70	
EAN-nr.	40 12078 034784	40 12078 034791	40 12078 034807	40 12078 034814	40 12078 034821	

Bakker til rundpresning
af aluminiums- og
kobberledere



For 3- og 4-leder kabel						
Massive mm ²			35	50	70	
Flerkorede mm ²	10	16	25	35	50	
Leder Ø mm	4,1	5,1	6,3	7,5	9	
Rundpresnings- bredde mm	9	9	9	9	9	
Best.nr.	HRu 3/10	HRu 3/16	HRu 3/35-25	HRu 3/50-35	HRu 3/70-50	
EAN-nr.	40 12078 034838	40 12078 034845	40 12078 034852	40 12078 034869	40 12078 034876	
Massive mm ²	95	120				
Flerkorede mm ²	70	95				
Leder Ø mm	10,5	12,5				
Rundpresnings- bredde mm	9	9				
Best.nr.	HRu 3/95-70	HRu 3/120-95				
EAN-nr.	40 12078 034883	40 12078 034890				

Bakker til presning af
rørkabelsko for
mangekorede ledere



Dornpresning						
mm ²	10	16	25			
Best.nr.	HF 3/10	HF 3/16	HF 3/25			
EAN-nr.	40 12078 043359	40 12078 043366	40 12078 043373			

PRESSEBAKKER TIL K 17 PRESSETANG



Bakker til presning af
C-klemmer



Ovalpresning, pressebredde 5 mm					
mm ²	16	25	4 - 4	10 - 10	
Best.nr.	HC 3/16	HC 3/25	HMC 3/4	HMC 3/10	
EAN-nr.	40 12078 034906	40 12078 034913	40 12078 036177	40 12078 036184	
mm ²	10 - 16	10 - 25	35 - 35		
Best.nr.	HMC 3/35				
EAN-nr.	40 12078 036191				

Bakker til presning af
isolerede rørkabelsko og
muffer



Ovalpresning, pressebredde 5 mm					
mm ²	10	16	25	35	50
Best.nr.	HIS 3/10	HIS 3/16	HIS 3/25	HIS 3/35	HIS 3/50
EAN-nr.	40 12078 034920	40 12078 034937	40 12078 034944	40 12078 034951	40 12078 034968
mm ²	70				
Best.nr.	HIS 3/70				
EAN-nr.	40 12078 034975				

Bakker til presning af
ledningstyler



Trapezpresning, pressebredde 10 mm					
mm ²	10	16	25	35	50
Best.nr.	HAE 3/10	HAE 3/16	HAE 3/25	HAE 3/35	HAE 3/50
EAN-nr.	40 12078 035033	40 12078 035040	40 12078 035057	40 12078 035064	40 12078 035071

Bakker til presning af
isolerede dobbelte
ledningstyler



Trapezpresning, pressebredde 10 mm					
mm ²	2x4	2x6	2x10	2x16	
Best.nr.	HZAE 3/4	HZAE 3/6	HZAE 3/10	HZAE 3/16	
EAN-nr.	40 12078 035088	40 12078 035095	40 12078 035101	40 12078 035118	

Pressebakker

PRESSEBAKKER TIL K 18 OG EK 18 PRESSEVÆRKTØJ



Bakker til presning af
kobber rørkabelsko og
-samlemuffer
(standardudgave)



Sekskantpresning, pressebredde 5 mm						
mm ²	6	10	16	25	35	
Best.nr.	R 6	R 10	R 16	R 25	R 35	
EAN-nr.	40 12078 028332	40 12078 028349	40 12078 028356	40 12078 028363	40 12078 028370	
mm ²	50	70	95	120	150	
Best.nr.	R 50	R 70	R 95	R 120	R 150	
EAN-nr.	40 12078 028387	40 12078 028394	40 12078 028400	40 12078 028417	40 12078 028424	
mm ²	185					
Best.nr.	R 185					
EAN-nr.	40 12078 028431					

Bakker til presning af
aluminium presse-
kabelsko og -muffer



Sekskantpresning, pressebredde 7 mm						
mm ²	10	16-25	35	50	70	
Kendetal	10	12	14	16	18	
Best.nr.	A 10	A 16-25	A 35	A 50	A 70	
EAN-nr.	40 12078 001410	40 12078 001427	40 12078 028783	40 12078 028790	40 12078 028806	
mm ²	95-120	150	185			
Kendetal	22	25	28			
Best.nr.	A 95-120	A 150	A 185			
EAN-nr.	40 12078 028813	40 12078 028820	40 12078 028837			

Bakker til rundpresning
af aluminiums- og
kobberledere



For 3- og 4-leder kabel						
Massive mm ²			35	50	70	
Flerkorede mm ²	10	16	25	35	50	
Leder Ø mm	4,1	5,1	6,3	7,5	9	
Rundpresnings- bredde mm	19,5	19,5	19,5	19,5	19,5	
Best.nr.	Ru 10	Ru 16	Ru 35/25	Ru 50/35	Ru 70/50	
EAN-nr.	40 12078 029094	40 12078 029124	40 12078 029131	40 12078 029148	40 12078 029155	
Massive mm ²	95	120	150	185	240	
Flerkorede mm ²	70	95	120	150	185	
Leder Ø mm	10,5	12,5	14	15,8	17,5	
Rundpresnings- bredde mm	19,5	19,5	19,5	19,5	19,5	
Best.nr.	Ru 95/70	Ru 120/95	Ru 150/120	Ru 185/150	Ru 240/185	
EAN-nr.	40 12078 029162	40 12078 029179	40 12078 029186	40 12078 029193	40 12078 029209	

PRESSEBAKKER TIL K 18 OG EK 18 PRESSEVÆRKTØJ



Bakker til presning af mangekorede ledere (svejsekabel)	Dornpresning					
	mm ²	10	16	25	35	50
	Best.nr.	F 10	F 16	F 25	F 35	F 50
	EAN-nr.	40 12078 041393	40 12078 041409	40 12078 041416	40 12078 041423	40 12078 041430



Bakker til presning af C-klemmer	Ovalpresning, pressebredde 5 mm					
	mm ²	16	25	35	50	4 - 4
	Best.nr.	C 16	C 25	C 35	C 50	MC 4
	EAN-nr.	40 12078 029407	40 12078 029414	40 12078 029421	40 12078 029438	40 12078 030458
	mm ²	10 - 10	10 - 16	10 - 25	35 - 35	
	Best.nr.	MC 10		MC 35		
EAN-nr.	40 12078 030472		40 12078 030496			



Bakker til presning af isolerede rørkabelsko og -muffer	Ovalpresning, pressebredde 5 mm					
	mm ²	10	16	25	35	50
	Best.nr.	IS 10	IS 16	IS 25	IS 35	IS 50
	EAN-nr.	40 12078 029216	40 12078 029223	40 12078 029230	40 12078 029247	40 12078 029254
	mm ²	70	95			
	Best.nr.	IS 70	IS 95			
EAN-nr.	40 12078 029261	40 12078 02927				



Bakker til presning af ledningstykker	Trapezpresning, pressebredde 20 mm					
	mm ²	10	16	25	35	50
	Best.nr.	AE 10	AE 16	AE 25	AE 35	AE 50
	EAN-nr.	40 12078 028202	40 12078 028219	40 12078 028226	40 12078 028233	40 12078 028240
	mm ²	70	95			
	Best.nr.	AE 70	AE 95			
EAN-nr.	40 12078 028257	40 12078 028264				



Bakker til presning af dobbelte ledningstykker	Trapezpresning, pressebredde 20 mm					
	mm ²	2 x 4	2 x 6	2 x 10	2 x 16	
	Best.nr.	ZAE 4	ZAE 6	ZAE 10	ZAE 16	
	EAN-nr.	40 12078 028295	40 12078 028301	40 12078 028318	40 12078 028325	



PRESSEBAKKER TIL EK 22 PRESSEVÆRKTØJ



Bakker til presning af
kobber rørkabelsko og
-samlemuffer



Sekskantpresning, pressebredde 5 mm					
mm ²	6	10	16	25	35
Best.nr.	R 22/6	R 22/10	R 22/16	R 22/25	R 22/35
EAN-nr.	40 12078 028578	40 12078 028585	40 12078 028448	40 12078 028455	40 12078 028462
mm ²	50	70	95	120	150
Best.nr.	R 22/50	R 22/70	R 22/95	R 22/120	R 22/150
EAN-nr.	40 12078 028479	40 12078 028493	40 12078 028509	40 12078 028516	40 12078 028523
mm ²	185	240	300		
Best.nr.	R 22/185	R 22/240	R 22/300		
EAN-nr.	40 12078 028547	40 12078 028554	40 12078 028561		

Bakker til presning af
aluminium presse-
kabelsko og -muffer



Sekskantpresning, pressebredde 7 mm indtil 185 mm ² , 5 mm ved 240 mm ²					
mm ²	10	16-25	35	50	70
Kendetal	10	12	14	16	18
Best.nr.	A 22/10	A 22/16-25	A 22/35	A 22/50	A 22/70
EAN-nr.	40 12078 028844	40 12078 028851	40 12078 028868	40 12078 028875	40 12078 028882
mm ²	95-120	150	185	240	
Kendetal	22	25	28	32	
Best.nr.	A 22/95-120	A 22/150	A 22/185	A 22/240	
EAN-nr.	40 12078 028899	40 12078 028905	40 12078 028912	40 12078 028929	

Bakker til rundpresning
af aluminiums- og
kobberledere



For 3- og 4-leder kabel					
Massive mm ²			35	50	70
Flerkorede mm ²	10	16	25	35	50
Leder Ø mm	4,1	5,1	6,3	7,5	9
Rundpresnings- bredde mm	19,5	19,5	19,5	19,5	19,5
Best.nr.	Ru 22/10	Ru 22/16	Ru 22/35-25	Ru 22/50-35	Ru 22/70-50
EAN-nr.	40 12078 029001	40 12078 029018	40 12078 029025	40 12078 029032	40 12078 029049
Massive mm ²	95	120	150	185	240
Flerkorede mm ²	70	95	120	150	185
Leder Ø mm	10,5	12,5	14	15,8	17,5
Rundpresnings- bredde mm	19,5	19,5	19,5	19,5	19,5
Best.nr.	Ru 22/95-70	Ru 22/120-95	Ru 22/150-120	Ru 22/185-150	Ru 22/240-185
EAN-nr.	40 12078 029056	40 12078 029063	40 12078 029070	40 12078 029193	40 12078 029100
Massive mm ²	300				
Flerkorede mm ²	240				
Leder Ø mm	20,3				
Rundpresnings- bredde mm	19,5				
Best.nr.	Ru 22/300-240				
EAN-nr.	40 12078 029117				

PRESSEBAKKER

TIL EK 22 PRESSEVÆRKTØJ



Bakker til presning af manglekorede ledere (svejsekabel)



Dornpresning						
mm ²	10	16	25	35	50	
Best.nr.	F 22/10	F 22/16	F 22/25	F 22/35	F 22/50	
EAN-nr.	40 12078 041072	40 12078 041157	40 12078 041164	40 12078 041171	40 12078 041188	
mm ²	70					
Best.nr.	F 22/70					
EAN-nr.	40 12078 041195					

Bakker til presning af C-klemmer



Ovalpresning, pressebredde 5 mm						
mm ²	16	25	35	50	4 - 4	
Best.nr.	C 22/16	C 22/25	C 22/35	C 22/50	MC 22/4	
EAN-nr.	40 12078 030533	40 12078 030540	40 12078 030557	40 12078 030564	40 12078 030571	
mm ²	10 - 10	10 - 16	10 - 25	35 - 35		
Best.nr.	MC 22/10		MC 22/35			
EAN-nr.	40 12078 030588		40 12078 030595			

Bakker til presning af isolerede rørkabelsko og -muffer



Ovalpresning, pressebredde 5 mm						
mm ²	10	16	25	35	50	
Best.nr.	IS 22/10	IS 22/16	IS 22/25	IS 22/35	IS 22/50	
EAN-nr.	40 12078 030816	40 12078 030823	40 12078 030830	40 12078 030847	40 12078 030854	
mm ²	70	95	120	150		
Best.nr.	IS 22/70	IS 22/95	IS 22/120	IS 22/150		
EAN-nr.	40 12078 030861	40 12078 030878	40 12078 030885	40 12078 030892		

Bakker til presning af ledningstykker



Trapezpresning, pressebredde 20 mm						
mm ²	10	16	25	35	50	
Best.nr.	AE 22/10	AE 22/16	AE 22/25	AE 22/35	AE 22/50	
EAN-nr.	40 12078 030908	40 12078 030915	40 12078 030922	40 12078 030939	40 12078 030946	
mm ²	70	95				
Best.nr.	AE 22/70	AE 22/95				
EAN-nr.	40 12078 030953	40 12078 030960				







Bakker til presning af dobbelte ledningstykker




Trapezpresning, pressebredde 20 mm						
mm ²	2 x 4	2 x 6	2 x 10	2 x 16		
Best.nr.	ZAE 22/4	ZAE 22/6	ZAE 22/10	ZAE 22/16		
EAN-nr.	40 12078 031004	40 12078 031011	40 12078 031028	40 12078 031035		

PRESSEBAKKER TIL HK 4 PRESSEVÆRKTØJ



Bakker til presning af kobber rørkabelsko og -samlemuffer 	Seks kantpresning, pressebredde 5 mm						
	mm ²	6	10	16	25	35	
	Best.nr.	HR 4/6	HR 4/10	HR 4/16	HR 4/25	HR 4/35	
	EAN-nr.	40 12078 035125	40 12078 035132	40 12078 035149	40 12078 035156	40 12078 035163	
	mm ²	50	70	95	120		
	Best.nr.	HR 4/50	HR 4/70	HR 4/95	HR 4/120		
	EAN-nr.	40 12078 035170	40 12078 035187	40 12078 035194	40 12078 035200		
Bakker til presning af aluminium presse- kabelsko og -muffer 	Seks kantpresning, pressebredde 7 mm						
	mm ²	10	16-25	35	50	70	
	Kendetal	10	12	14	16	18	
	Best.nr.	HA 4/10	HA 4/16-25	HA 4/35	HA 4/50	HA 4/70	
	EAN-nr.	40 12078 035293	40 12078 035309	40 12078 035316	40 12078 035323	40 12078 035330	
Bakker til rundpresning af aluminiums- og kobberledere 	For 3- og 4-leder kabel						
	Massive mm ²			35	50	70	
	Flerkorede mm ²	10	16	25	35	50	
	Leder Ø mm	4,1	5,1	6,3	7,5	9	
	Rundpresnings- bredde mm	9,0	9,0	9,0	9,0	9,0	
	Best.nr.	HRu 4/10	HRu 4/16	HRu 4/35-25	HRu 4/50-35	HRu 4/70-50	
	EAN-nr.	40 12078 035347	40 12078 035354	40 12078 035361	40 12078 035378	40 12078 035385	
	Massive mm ²	95	120	150			
	Flerkorede mm ²	70	95	120			
	Leder Ø mm	10,5	12,5	14			
	Rundpresnings- bredde mm	9,0	9,0	9,0			
	Best.nr.	HRu 4/95-70	HRu 4/120-95	HRu 4/150-120			
	EAN-nr.	40 12078 035392	40 12078 035408	40 12078 035415			
	Bakker til presning af mangekorede ledere (svejsekabel) 	Dornpresning					
		mm ²	10	16	25		
Best.nr.		HF 4/10	HF 4/16	HF 4/25			
EAN-nr.		40 12078 042048	40 12078 042055	40 12078 041096			
Bakker til presning af C-klemmer 	Ovalpresning, pressebredde 5 mm						
	mm ²	16	25	4 - 4	10 - 10		
	Best.nr.	HC 4/16	HC 4/25	HMC 4/4	HMC 4/10		
	EAN-nr.	40 12078 035422	40 12078 035439	40 12078 036207	40 12078 036214		
	mm ²	10 - 16	10 - 25	35 - 35			
	Best.nr.		HMC 4/35				
EAN-nr.		40 12078 036221					
Bakker til presning af isolerede rørkabelsko og -muffer 	Ovalpresning, pressebredde 5 mm						
	mm ²	10	16	25	35	50	
	Best.nr.	HIS 4/10	HIS 4/16	HIS 4/25	HIS 4/35	HIS 4/50	
	EAN-nr.	40 12078 035477	40 12078 035484	40 12078 035491	40 12078 035507	40 12078 035514	
	mm ²	70					
	Best.nr.	HIS 4/70					
EAN-nr.	40 12078 035521						

PRESSEBAKKER TIL HK 5 PRESSEVÆRKTØJ



Bakker til presning af
kobber rørkabelsko og
-samlemuffer



Sekskantpresning, pressebredde 5 mm					
mm ²	6	10	16	25	35
Best.nr.	HR 5/6	HR 5/10	HR 5/16	HR 5/25	HR 5/35
EAN-nr.	40 12078 035651	40 12078 035668	40 12078 035675	40 12078 035682	40 12078 035699
mm ²	50	70	95	120	150
Best.nr.	HR 5/50	HR 5/70	HR 5/95	HR 5/120	HR 5/150
EAN-nr.	40 12078 035705	40 12078 035712	40 12078 035729	40 12078 035736	40 12078 035743
mm ²	185	240			
Best.nr.	HR 5/185	HR 5/240			
EAN-nr.	40 12078 035750	40 12078 035767			

Bakker til presning af
aluminium presse-
kabelsko og -muffer




Sekskantpresning, pressebredde 7 mm indtil 185 mm ² , 5 mm ved 240 mm ²					
mm ²	10	16-25	35	50	70
Kendetal	10	12	14	16	18
Best.nr.	HA 5/10	HA 5/16-25	HA 5/35	HA 5/50	HA 5/70
EAN-nr.	40 12078 035880	40 12078 035897	40 12078 035903	40 12078 035910	40 12078 035927
mm ²	95-120	150			
Kendetal	22	25			
Best.nr.	HA 5/95-120	HA 5/150			
EAN-nr.	40 12078 035934	40 12078 035941			

Bakker til rundpresning
af aluminiums- og
kobberledere



For 3- og 4-leder kabel					
Massive mm ²			35	50	70
Flerkorede mm ²	10	16	25	35	50
Leder Ø mm	4,1	5,1	6,3	7,5	9
Rundpresnings- bredde mm	12	12	12	12	12
Best.nr.	HRu 5/10	HRu 5/16	HRu 5/35-25	HRu 5/50-35	HRu 5/70-50
EAN-nr.	40 12078 035958	40 12078 035965	40 12078 035972	40 12078 035989	40 12078 035996
Massive mm ²	95	120	150	185	240
Flerkorede mm ²	70	95	120	150	185
Leder Ø mm	10,5	12,5	14	15,8	17,5
Rundpresnings- bredde mm	12	12	12	12	12
Best.nr.	HRu 5/95-70	HRu 5/120-95	HRu 5/150-120	Hru 5/185-150	Hru 5/240-185
EAN-nr.	40 12078 036009	40 12078 036016	40 12078 036023	40 12078 036030	40 12078 036047
Massive mm ²	300				
Flerkorede mm ²	240				
Leder Ø mm	20,3				
Rundpresnings- bredde mm	12				
Best.nr.	Hru 5/300-240				
EAN-nr.	40 12078 036054				

PRESSEBAKKER TIL HK 5 PRESSEVÆRKTØJ



Bakker til presning af
mangekorede ledere
(svejsekabel)



Dornpresning						
mm ²	10	16	25	35	50	
Best.nr.	HF 5/10	HF 5/16	HF 5/25	HF 5/35	HF 5/50	
EAN-nr.	40 12078 042154	40 12078 052161	40 12078 042178	40 12078 042185	40 12078 042192	

Bakker til presning af
C-klemmer



Ovalpresning, pressebredde 5 mm						
mm ²	16	25	35	50		
Best.nr.	HC 5/16	HC 5/25	HC 5/35	HC 5/50		
EAN-nr.	40 12078 036061	40 12078 036078	40 12078 036085	40 12078 036092		
mm ²	4 - 4	10 - 10	10 - 16	10 - 25	35 - 35	
Best.nr.	HMC 5/4	HMC 5/10	HMC 5/35			
EAN-nr.	40 12078 036238	40 12078 036245	40 12078 036252			

Bakker til presning af
isolerede rørkabelsko og
-muffer



Ovalpresning, pressebredde 5 mm						
mm ²	10	16	25	35	50	
Best.nr.	HIS 5/10	HIS 5/16	HIS 5/25	HIS 5/35	HIS 5/50	
EAN-nr.	40 12078 036108	40 12078 036115	40 12078 036122	40 12078 036139	40 12078 036146	
mm ²	70	95				
Best.nr.	HIS 5/70	HIS 5/95				
EAN-nr.	40 12078 036153	40 12078 036160				